

GENERAL SERVICES ADMINISTRATION  
Federal Supply Service  
Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage! ®, a menu-driven database system. The INTERNET address GSA Advantage! ® is: [GSAAdvantage.gov](http://GSAAdvantage.gov).

**Schedule Title:** Total Solutions for Law Enforcement, Security, Facilities Management, Fire, Rescue

**FSC Group 84** – Law Enforcement and Security Equipment

**Contract number:** GS-07F-5563P

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at [fss.gsa.gov](http://fss.gsa.gov).

**Contract period:** February 1, 2004 – January 31, 2019

Price list current through modification # PS-0058 dated September 7, 2017



SUPERCIRCUITS, INC  
11000 N Mo Pac Expwy Bldg 300  
Austin, TX 78759  
Ph 1-800-335-9777 / 1-512-778-6950  
Fax 1-866-267-9777 / 1-512-778-6946  
<http://www.supercircuits.com>

**Contract administration source:** Carol Cates  
email: [gov@supercircuits.com](mailto:gov@supercircuits.com)

**Business size:** Small

**CUSTOMER INFORMATION:**

**1a. Table of awarded special item number(s):**

- 426 4C Night Vision Equipment
- 426 4C (RC)
- 426 4S Surveillance Systems
- 426 4S (RC)
- 246 35 1 Access Control Systems, Door entry control by card access, magnetic proximity
- 246 35 1 (RC)

**1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract:**

SIN (incl RC SIN)	MANUFACTURER NAME	MFR PART NO	PRODUCT DESCRIPTION	NET GSA OFFER PRICE
246 35 1	Infinias LLC	S-ACC-CLM	This infinias clamshell access control proximity card offers a 2.5" – 24" read range (depending on the reader and local installation conditions), and features an external number for easy identification and control. The 26-bit card supports over 137 billion codes and fits easily inside a wallet, pocket or purse	1.97
426 4C	Supercircuits, Inc.	ALI-CC2	Capture high resolution covert video day and night with the ALI-CC2 Alibi 2.2 Megapixel 1080p HD-TVI 940 nm 40' IR PIR Sensor Hidden Camera. The hidden camera is ideal for monitoring hallways, entryways, open areas, or anywhere a commanding view of an entire room is required to be viewed, and activity recorded.	129.76
426 4S	Supercircuits, Inc.	VT-14	The VT-14 video balun allows you to send a video signal and power up to 150 feet on one single 4 pair CAT 5 cable. (depending on camera current draw) Without power, the video can be sent up to 1200ft. Two units per camera is required. Note: comes with one VT-14 video balun. Note: Unit has male power connector. Use a female- to-female adapter to supply power on the DVR side	5.44

**1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided:** Not Applicable

**2. Maximum order:** SINs 426-4C (and 426-4C/RC) & 426-4S (and 426-4S/RC)  
\$ 200,000.00 per SIN per order

**3. Minimum order:** None

**4. Geographic coverage (delivery area):** Domestic, delivery within the 48 contiguous states, Alaska, Hawaii, Puerto Rico, Washington, DC, and U.S. territories. Domestic delivery also includes a port or consolidation point, within the aforementioned areas, for orders received from overseas activities.

**5. Point(s) of production (city, county, and State or foreign country):**

US United States

**6. Discount from list prices or statement of net price:** Prices contained herein are net government prices.

**7. Quantity discounts:**

\$ 25,000.00 - \$ 100,000.00 = Additional 4% Discount  
\$ 100,000.01 and over = Additional 7% Discount

\*\*Large purchases of single items exceeding quantities of one-hundred units may be provided a discount.

**8. Prompt payment terms:** Net 30 Days.

**9a. Notification that Government purchase cards are accepted at or below the micro-purchase threshold:** Government purchase cards ARE accepted at or below the micro-purchase threshold

**9b. Notification whether Government purchase cards are accepted or not accepted above the micro-purchase threshold:** Government purchase cards ARE accepted above the micro-purchase threshold

**10. Foreign items (list items by country of origin):**

All items are TAA compliant. See pricing table for Country of Origin

**11a. Time of delivery:** 30 days ARO

**11b. Expedited Delivery:** 14 days ARO for in-stock items only

**11c. Overnight and 2-day delivery. The Contractor will indicate whether overnight and 2-day delivery are available:** No

**11d. Urgent Requirements:** Contact Contractor for Urgent Requirements:

**I-FSS-140-B URGENT REQUIREMENTS (JAN 1994)**

When the Federal Supply Schedule contract delivery period does not meet the bona fide urgent delivery requirements of an ordering agency, agencies are encouraged, if time permits, to contact the Contractor for the purpose of obtaining accelerated delivery. The Contractor shall reply to the inquiry within 3 workdays after receipt. (Telephonic replies shall be confirmed by the Contractor in writing.) If the Contractor offers an accelerated delivery time acceptable to the ordering agency, any order(s) placed pursuant to the agreed upon accelerated delivery time frame shall be delivered within this shorter delivery time and in accordance with all other terms and conditions of the contract.

**12. F.O.B. point(s):** FOB Origin (Austin, TX 78759)

**13a. Ordering address:**

SUPERCIRCUITS, INC  
11000 N Mo Pac Expwy Bldg 300  
Austin, TX 78759

**13b. Ordering procedures::** For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

**14. Payment address:**

SUPERCIRCUITS, INC  
11000 N Mo Pac Expwy Bldg 300  
Austin, TX 78759

**15. Warranty provision:** Standard Commercial Warranty

**16. Export packing charges:** Not applicable

**17. Terms and conditions of Government purchase card acceptance (any thresholds above the micro-purchase level):** None

**18. Terms and conditions of rental, maintenance, and repair (if applicable):**  
Not Applicable

**19. Terms and conditions of installation (if applicable):**  
Not Applicable

**20. Terms and conditions of repair parts indicating date of parts price lists and any discounts from list prices (if applicable):**  
Not Applicable

**20a. Terms and conditions for any other services (if applicable):**  
Not Applicable

**21. List of service and distribution points (if applicable):**

Not Applicable

**22. List of participating dealers (if applicable):**

Not Applicable

**23. Preventive maintenance (if applicable):**

Not Applicable

**24a. Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants):**

Not Applicable

**24b. If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at:**

[www.Section508.gov/](http://www.Section508.gov/).

Not applicable

**25. Data Universal Number System (DUNS) number: 780851226**

**26. Notification regarding registration in Central Contractor Registration (CCR) database:** Supercircuits, Inc. is registered, current, and active in the System for Award Management (SAM) Database.

SIN	MANUFACTURER NAME	MFR PART NO	PRODUCT DESCRIPTION	NET GSA PRICE W/ IFF
246 35 1	Infinias LLC	A-ACC-1000	This HID ProxCard II Access Control Clamshell is incredibly durable and is designed for continuous use. The card supports up to 26 bits and can easily fit in your wallet or bag and can be worn when secured with a clip or lanyard for convenient access. The card offers over 137 billion unique codes for security and is engineered to last.	2.76
246 35 1	Infinias LLC	A-ACC-1000-SP	This HID ProxCard II Access Control Clamshell with Special Numbering features sequential matching internal/external card numbering. The prox card is incredibly durable and is designed for continuous use. The card supports up to 26 bits and can easily fit in your wallet or bag and can be worn when secured with a clip or lanyard for convenient access. The card offers over 137 billion unique codes for security and is engineered to last.	2.76
246 35 1	Infinias LLC	A-AKT-1000	Compact, convenient and secure, this durable HID ProxKey-II Wiegand Access Control Key Fob provides access control with the ability to fit easily onto a key ring. The key fob operates on a low 125 kHz transmit frequency, is universally compatible with a variety of HID proximity readers and offers over 137 billion unique codes for added security. Minimum order quantity for this product is 25 pieces.	5.47
426 4S	Supercircuits, Inc.	ALI-AV1	This ALI-AV1 Alibi HD-TVI/CVI/AHD Mini Video Balun with Screw Terminal enables you to send HD video over unshielded twisted pair CAT5 cabling. The HD video balun is compatible with multiple HD video technologies, including HD-TVI, CVI, and AHD. The video balun provides long-range transmission with the ability to transmit 1080p full-HD video up to 650' and 720p up to 980'.	8.33

426 4S	Supercircuits, Inc.	ALI-AV2	This ALI-AV2 Alibi HD-TVI/CVI/AHD Mini Video Balun with Pigtail and Screw Terminal enables you to send HD video over unshielded twisted pair CAT5 cabling. The HD video balun is compatible with multiple HD video technologies, including HD-TVI, CVI, and AHD. The video balun provides long-range transmission with the ability to transmit 1080p full-HD video up to 650' and 720p up to 980'.	12.97
426 4S	Supercircuits, Inc.	ALI-AV3	The ALI-AV3 Alibi ALI-AV3 HD-TVI/CVI/AHD Video/Power Balun enables you to send HD video signals from HD cameras and HD recorders, along with power, over a single unshielded twisted pair CAT5e and CAT6 cable. The video/power balun is compatible with multiple HD video technologies: including: HD-TVI, HD-CVI, and AHD. It sends video signals over coax and 12/24 V power to an RJ-45 connector interface for transmission across standard CAT5e/6 UTP cabling.	15.75
426 4S	Supercircuits, Inc.	ALI-AV4P	This Alibi HD-TVI to HDMI/VGA/CVBS Distribution Video Converter with PIP conveniently converts HD-TVI signals to HDMI, VGA or CVBS analog composite video output. The Built in PIP allows you to display picture in picture under dual HD-TVI input mode	120.49
426 4C	Supercircuits, Inc.	ALI-CC1	The Alibi 2.2 Megapixel 1080p HD-TVI 40' IR Wide Angle Corner Mount Security Camera captures sharp, detailed full-HD video. The wide angle corner mount camera is ideal for monitoring entryways, or anywhere a commanding view of an entire room is required to be viewed, and activity recorded	148.30
426 4C	Supercircuits, Inc.	ALI-CC2	Capture high resolution covert video day and night with the ALI-CC2 Alibi 2.2 Megapixel 1080p HD-TVI 940 nm 40' IR PIR Sensor Hidden Camera. The hidden camera is ideal for monitoring hallways, entryways, open areas, or anywhere a commanding view of an entire room is required to be viewed, and activity recorded.	129.76
426 4C	Supercircuits, Inc.	ALI-CC3	Capture high resolution covert video day and night with the Alibi 2.2 Megapixel 1080p HD-TVI 940 nm 40' IR Smoke Detector Hidden Camera. The smoke detector hidden camera offers dual resolution capabilities, supporting both HD-TVI and traditional analog security technologies.	129.76
426 4S	Supercircuits, Inc.	ALI-CC4	Detect suspicious activity discreetly. This undercover security camera looks exactly like a standard smoke detector and features a working red LED light for added authenticity. This covert smoke detector camera is equipped with a 2.4MP Sony Progressive Scan Sensor that delivers clear, crisp 1080p video at 30fps. Additional features include D-WDR (Digital Wide Dynamic Range) and 3D- and 2D-DNR (Digital Noise Reduction) that further contribute to its exceptional quality images, even in low-light conditions.	92.60
426 4S	Supercircuits, Inc.	ALI-CC4XC	This Alibi Board Camera is the additional camera and mounting for the CC4 Covert Smoke Detector Camera. It comes with a 2.4MP Sony Progressive Scan Sensor that provides crisp 1080p images.	83.42
426 4S	Supercircuits, Inc.	ALI-CC5	This covert wall clock is an unexpected surveillance solution with a hidden camera that's nearly undetectable, which makes it perfect for any residential, school, warehouse or office application.	125.05

426 4S	Supercircuits, Inc.	ALI-CD5021VSS	The ALI-CD5021VSS Alibi HD-TVI 1080p 80' IR WDR Steel Vandal-resistant Dome Camera is made of an AISI-316 grade stainless steel anti-corrosive housing that makes it an ideal choice for use in medical, food services, manufacturing, automated carwashes, and marine environments.	342.96
246 35 1	Infinias LLC	A-PVC-1000	This fully-printable HID ISOProx II Card enables you to print a photo ID onto the graphics quality surface for enhanced security. The ISOProx II Card is the size and thickness of a standard credit card and features a 2.5" to 20" read range, 125 kHz transmit frequency, and a graphics-optimized surface for high quality photo printing with direct image printers.	5.10
246 35 1	Infinias LLC	A-PVC-1000-SP	This printable HID ISOProx II Card provides sequential matching internal/external card numbering. The ISOProx II has a 2.5" to 20" read range, 125 kHz transmit frequency and provides two convenient card slot options: vertical or horizontal. This is a special order item. One of our sales experts will call you before processing your order, in order to set up the special site code and access card numbering included with this product	5.10
246 35 1	Infinias LLC	A-PVC-1100	This HID DuoProx II Card delivers proximity, magnetic stripe and photo ID technologies on a single durable access control card. The DuoProx II card is the same size and thickness of a standard credit card and features a 2.5" to 20" read range, 125 kHz transmit frequency and PVC construction. The printable proximity card features a graphics quality surface that's ideal for photo ID printing. The card also offers card slot options: horizontal or vertical orientation	5.59
246 35 1	Infinias LLC	A-PVC-2000	HID's iCLASS® 13.56 MHz read/write contactless smart card technology can be used for diverse applications such as access control, biometrics, cashless vending, public transportation, airline ticketing and customer loyalty programs. Multiple, securely separated files enable numerous applications and support future growth.	11.11
426 4S	Supercircuits, Inc.	ASK-4KIT-101	The ASK-4KIT-101 is a single zone audio monitoring system designed to interface with a DVR, VCR or other recording devices that accept line level input. The base station contains a built-in 3" speaker and volume control for producing live audio and audio playback. It also has a filter switch that enhances the quality of playback from 24-hour time-lapse recorders.	294.65
426 4S	Supercircuits, Inc.	ASK-4KIT-102	Capture conversations and audio evidence with this easy-to-install Louroe single zone audio monitoring system. The system comes equipped with a microphone and base station to provide a cost-effective audio capture system for interview rooms, booking rooms and other locations.	293.75
426 4S	Supercircuits, Inc.	ASK-4KIT-300	Single zone audio monitoring system designed for direct connection to a DVR, network camera, video server. When ceiling mounted, the microphone can pick up sounds approximately 15' away or within a 30' diameter circle. Model IF-1 Interface Adapter receives the wiring from the microphone, supplies power to the microphone and drives the audio signals into the audio input of the recording device. Kit includes an RCA cable for connecting to a DVR or VCR, and a 3.5mm cable for connection to a computer sound card. It also contains a variable gain adjust to prevent overdriving or underdriving the audio signal.	305.89

426 4S	Supercircuits, Inc.	AVSI-SW1	This wall mount interview room wall switch triggers an alarm contact on a DVR or interview room system to start recording video and audio. The interview room wall switch puts out 12 Vdc of power to turn on a recording sign or strobe and is to be used with compatible DVRs or interview room systems	148.30
426 4S	Supercircuits, Inc.	BADGER2	This intuitive and easy-to-use field recording system can be learned in minutes. The "BADGER" captures continuous video for 6.5 days, making it great for forestry work and high-traffic areas. Waterproof locking connectors lead to a 25 ft cable that connects to a high resolution, day/night, IR sensitive bullet camera.	1,390.42
426 4C	Supercircuits, Inc.	BLK-CPB2M150	This rugged BLACK 1080p HD-TVI varifocal outdoor bullet security camera enables you to record high-resolution video—even in diverse and challenging lighting conditions. The bullet camera is equipped with a 2.8-12 mm motorized zoom varifocal lens and an advanced 2MP Sony Exmor image sensor that produces 1080p high-resolution video for live viewing and recording.	227.09
426 4C	Supercircuits, Inc.	BLK-CPB2M65	This rugged BLACK 1080p HD-TVI resolution varifocal outdoor bullet security camera enables you to record high-resolution video—even in diverse and challenging lighting conditions. The bullet camera is equipped with a 2.8-12 mm motorized zoom varifocal lens and an advanced 2MP Sony Exmor image sensor that produces 1080p high-resolution video for live viewing and recording.	181.67
426 4C	Supercircuits, Inc.	BLK-CPD2MR	The BLACK Line indoor HD-TVI varifocal 100' IR dome camera enables you to capture high resolution video—day and night. The camera is suited for a variety of indoor environments and features a 2MP Sony Exmor sensor, 2.8-12 mm DC driven varifocal lens and it delivers 1080p HD-TVI video.	172.59
426 4C	Supercircuits, Inc.	BLK-CPV2MR	The BLACK Line vandalproof HD-TVI varifocal 100' IR dome camera enables you to capture high resolution video—day and night. The camera is suited for the harshest environments and features a 2MP Sony Exmor sensor, 2.8-12 mm DC driven varifocal lens and it delivers 1080p HD-TVI video.	236.18
426 4S	Supercircuits, Inc.	BLK-CPV700RH	The BLACK Line vandal-proof 700 TVL 90 FT IR all-weather dome camera features a built-in heater to withstand cold temperatures down to -40 degrees.	257.12
426 4S	Supercircuits, Inc.	BLK-HD360	The panorama view camera is equipped with a 1.25 mm fish-eye lens and enables a full 360° view without having to move like a PTZ camera. The camera also offers a built-in video output and OSD joystick, wide dynamic range (WDR), digital noise reduction (DNR), and back light compensation (BLC). Multiple camera viewing options are available — choose between 360° panorama view, dual 180° view, or quad view display.	372.25
426 4S	Supercircuits, Inc.	CAB-ASK	100 ft roll of 3 conductor cable for ASK-4KIT-101.	29.85
426 4S	Supercircuits, Inc.	CML2-12AIUG	This 2.8-12 mm DC auto-iris varifocal zoom lens is ideal for a variety of security applications, providing the flexibility to adjust between different focal lengths with a single lens.	52.49
426 4S	Supercircuits, Inc.	CML5-60AIUG	This 5-60 mm DC auto-iris varifocal zoom lens is extremely flexible making it a suitable choice for both short and long-range surveillance.	84.37

426 4S	Supercircuits, Inc.	CVTBNE2	We've combined a hidden camera and wireless transmitter with a standard 3 ring binder that fits perfectly into any environment. This covert binder security camera comes with a 2.4 GHz wireless transmitter and receiver to conveniently capture video wherever you need it. The device operates on 500 mA at 12 volts DC and comes with a 2-year warranty and 30 day money back guarantee.	278.08
426 4S	Supercircuits, Inc.	CVTCLE2	This wall clock with hidden camera comes with a 2.4 GHz wireless transmitter and a high-resolution day/night camera. The hidden camera has 700 lines of resolution, 0.0001 lux low light rating and operates on 500 mA at 12 volts DC. Our covert wall clock blends perfectly into any residential, school, warehouse or office environment giving you a commanding view of the room without being detected. The camera has been modified to be reactive to IR illumination and the digital wireless transmitter provides less interference	231.73
426 4S	Supercircuits, Inc.	CVTCLEWA	The camera is a 700 line res day night camera that has been modified to be reactive to IR illumination. Wired output	185.38
426 4S	Supercircuits, Inc.	CVTEBE2	The hidden high-res day/night pinhole camera inside our wireless covert electrical box is positioned to give you a commanding view without being detected. The electrical box blends perfectly into any industrial, warehouse or outdoor environment. The hidden camera features 700 lines resolution, a 0.0001 lux low light rating and operates on 500 mA at 12 volts DC.	231.73
426 4S	Supercircuits, Inc.	CVTEBEW	This wired covert electrical box features a high resolution day/night hidden camera and is nearly undetectable in. The electrical box blends perfectly into any industrial, warehouse or outdoor environment, and the hidden pinhole camera is positioned to give you a commanding view without being detected. The camera features 700 lines of resolution, a 0.0001 lux low light rating and operates on 120 mA at 12 volts DC.	157.57
426 4S	Supercircuits, Inc.	CVTMCEW	This covert button and screw micro camera kit is easy to conceal, easy to operate, and easily fits into any environment. The button lens is especially convenient because the video and power cables can be easily concealed under clothing. The day/night pinhole camera produces a sharp 700 lines of resolution, and the 0.0001 lux low light resolution enables this hidden camera to work well under normal to fairly low room light, and is excellent in outdoor lighting. The camera operates on 12 volts DC. The kit comes with camera, battery pack holder, interchangeable pinhole lenses (button, flat pinhole, screw, and conical lenses), and 10 additional matching buttons	231.73
426 4S	Supercircuits, Inc.	CVTMCEWA	The camera is a 700 line res day night camera that has been modified to be reactive to IR illumination. + audio	278.08
426 4S	Supercircuits, Inc.	CVTTME2	The camera is a 700 line res day night camera that has been modified to be reactive to IR illumination. 2.4ghz digital wireless	324.42
426 4S	Supercircuits, Inc.	CVTTMEW	This wired thermostat* with hidden day/night camera will blend into your home or office with ease and allow you can keep an eye on your most valuable assets. The camera features 700 lines of resolution, a 0.0001 lux low light rating that gives a crisp clear picture and it has been modified to be reactive to IR illumination. The device includes a 12 volt DC adapter	231.73
426 4S	Supercircuits, Inc.	CVTTMEWA	The camera is a 700 line res day night camera that has been modified to be reactive to IR illumination. Wired + audio	278.08

426 4S	Supercircuits, Inc.	DVRM6W	This 4-channel mobile DVR is ideal for large-scale fleet applications such as monitoring buses, patrol cars, taxis, delivery trucks, prison transportation vehicles and emergency response vehicles. The DVR is equipped with an anti-shock vibration resistant chassis that is built to endure the rigorous bumps and turns of mobile surveillance applications, to ensure high quality video on-the-go.	1,668.50
426 4S	Supercircuits, Inc.	DVRM7W	This 2-channel remote viewable mobile DVR delivers a cost-effective mobile surveillance solution for fleet applications such as monitoring buses, patrol cars, taxis, towing and delivery trucks, prison transportation vehicles and emergency response vehicles. The DVR is built to withstand the bumps, twists and turns of mobile surveillance applications, to ensure high quality video on-the-go.	1,112.33
426 4S	Supercircuits, Inc.	ENCOD	Heavy duty outdoor camera housing made with tough metal alloy for complete protection from the elements. Dimensions: 4.25 in x 5.5 in x 16 in.	14.72
426 4S	Supercircuits, Inc.	MAMBA1	Small, lightweight, battery-powered field video surveillance system with wireless PIR sensor is ideal for a wide range of surveillance applications—from monitoring parks and environmentally protected areas, to border security and much more. The all-in-one surveillance solution features a mini single-channel DVR, 700 TVL day/night outdoor bullet security camera, 2.5 in TFT LCD monitor and wireless PIR sensor for enhanced security.	787.90
426 4S	Supercircuits, Inc.	MB21	This vehicle window mount is ideal for most mobile electronic mounting requirements. The powerful suction pad attaches this mount to any flat, non-porous surface, making it ideal for action sports, point-and-shoot cameras, POV cameras, in-vehicle camera systems, camcorders or any device with a 1/4-20 threaded tripod insert. This suction cup mount is recommended for cameras weighing up to 3 lbs.	15.25
426 4S	Supercircuits, Inc.	MB4	This heavy duty security camera mounting bracket for outdoor camera housings is designed to support up to 22 lb in weight. The base size measures 97 mm x 84 mm and the bracket is 282.5 mm in height. The unit features a full 360 degree swivel and 90 degree tilt. The bracket is ruggedly constructed of white coated steel.	7.26
426 4S	Supercircuits, Inc.	PC229HRXP	Our pinhole cameras are in use by police departments, federal agencies and TV stations nationwide. Now we've taken these cameras one step further by upgrading the resolution to 570 lines for DVD-grade video performance while maintaining a stealthy 0.005 lux low light rating. Operates on 12 DC and draws only 70 mA. Comes with plug and play video/power cables and connection instructions.	259.54
426 4S	Supercircuits, Inc.	PC229IR	This snake camera has six built-in 940 nm LEDs for virtually invisible illumination. The 1/4" CMOS CQII imager delivers 400 of lines resolution and 0.0 lux up to 3 feet making this snake camera great for vehicle air vents or other indoor covert applications. The head of the unit measures 0.31" x 0.86" and operates on 5-12 volts DC at 100 mA, making it great for battery powered use.	336.07
426 4S	Supercircuits, Inc.	PC229XP	The mini snake camera head is a tiny 0.75 in x 0.45 in x 0.45 in and the processor board, located 10 in down the cable, is only 0.275 in thick by 1.15 in square. This color high resolution snake pinhole camera uses a Sony Ex-View CCD with 510 x 492 pixels to deliver a sharp 540 lines of resolution with a low light rating of 0.05 lux. The camera operates on 12 volts DC and draws only 70 mA, and comes with plug and play video/power cables and connection instructions.	231.73

426 4S	Supercircuits, Inc.	PC304XP	This super slim color micro camera is perfect for hidden video applications to see what's really going on with your business or home when you're not there to watch. The flat micro camera can be easily concealed behind photo frames, book shelves or mirrors. It can even be placed in plain view in cluttered areas without risk of detection.	185.38
426 4S	Supercircuits, Inc.	PC304XPA	Ultra Slim Color Pinhole Camera w/ Audio	231.73
246 35 1	Infinias LLC	S-ACC-AKT	Compact, convenient and secure, this durable infinias ProxKey-II Wiegand Access Control Key Fob provides access control with the ability to fit easily onto a key ring. The key fob operates on a low 125 kHz transmit frequency, is universally compatible with a variety of proximity readers and offers over 137 billion unique codes for added security. Minimum order quantity for this product is 25 pieces.	3.36
246 35 1	Infinias LLC	S-ACC-CLM	This infinias clamshell access control proximity card offers a 2.5" – 24" read range (depending on the reader and local installation conditions), and features an external number for easy identification and control. The 26-bit card supports over 137 billion codes and fits easily inside a wallet, pocket or purse	1.97
246 35 1	Infinias LLC	S-ACC-PVC	This white printable 26-bit PVC access control proximity card features a 2.5" – 20" read range (depending on the reader and local installation conditions), and is the size and thickness of a standard credit card, so it fits easily in your wallet or purse.	3.17
246 35 1	Infinias LLC	S-BASE-KIT	The infinias Intelli-M Access Essentials Access Control Base Software Kit provides all of the essentials needed to deliver broad access control capabilities to conveniently secure and manage your location, within a simple, intuitive browser-based user interface. The software allows you to view, monitor and report on any or all events and alarms; define multiple security roles, access and privileges for individual users, and use the powerful 'rules engine' to perform a variety of functions including: defining schedules and holiday sets, and designing, building and printing badges with Microsoft Report Builder 3.0.	458.44
246 35 1	Infinias LLC	S-DOOR-KIT-WH	The infinias Intelli-M Single Door Add Kit with HID Prox Reader includes needed door hardware and accessories to add a single door to your network and deliver an effective, easy to install IP-based access control solution. The single door kit includes an infinias Ethernet-enabled single door controller, HID prox reader, mounting box, plus other needed accessories, so you can add a door to your network and get started with your IP-based access control solution quickly and easily. Great for retrofit installations when existing door and locking hardware is not required.	532.49
246 35 1	Infinias LLC	S-DOOR-KIT-WH-ST	The infinias Intelli-M Single Door Add Kit with HID Prox Reader, Door Strike and Sensors includes the door hardware and accessories you need to get started with an IP-based access control solution. The kit includes an infinias Ethernet-enabled door controller, HID prox reader, mounting box, plus other needed accessories such as door strike and door sensor, so you can quickly and easily add a door to your network. infinias offers a variety of door add kits that provide various hardware and accessory options designed to suit your specific needs. This single door add kit is ideal for new access control installations.	631.23

246 35 1	Infinias LLC	S-EIDC32	The infinias eIDC32 Intelli-M Ethernet-enabled Integrated Door Controller may be small in size with its small form factor (1.30" D x 1.70" W x 2.82" H), but this extremely powerful device is engineered to effectively and efficiently provide secure electronic access control—from a single door installation, to thousands of doors at one or multiple locations.	416.12
246 35 1	Infinias LLC	S-EIDC-KIT-DEMO	This all-in-one infinias access control demo kit features everything needed to demonstrate a working door simulation. The demo kit includes an infinias PoE-enabled eIDC32 door controller and an HID 6005 Prox Point Plus mini mullion reader that are mounted to a surface mount box. LEDs and buttons are wired to the eIDC32 door controller to simulate a working door and indicate various access control events. The demo kit also includes infinias 26-bit Wiegand access control cards and a short arm security hex key for easy installation. The demo kit features Intelli-M Access software that enables you to demonstrate a variety of infinias IP-based access control tasks and features including managing, viewing and reporting activity through the eIDC32 door controller which connects to the network.	504.28
246 35 1	Supercircuits, Inc.	S-PIR-DS150	The Light Gray Request to Exit (REX) Detector is a passive infrared detector, is ceiling or wall-mountable and designed specifically for single or double door request to exit applications. The device features internal vertical point-ability, wrap-around coverage pattern and selectable relay trigger mode, as well as selectable fail-safe/fail-secure modes. The device detects motion in the coverage area and signals an access control system or door control device. The REX detector also features an externally visible activation LED.	147.85
246 35 1	Infinias LLC	S-SMB-5075	The infinias Surface Mount Box allows the Intelli-M eIDC32 Intelli-M Ethernet-enabled Integrated Door Controller to be mounted to the surface of a wall. The door controller fits effortlessly into the surface-mountable box for fast and easy installation.	10.58
246 35 1	Infinias LLC	S-SVR50-8	the SVR50 series 1U servers support any access control application. All servers come with Microsoft Windows and Intelli-M Access Software pre-installed and preconfigured. All servers come with an Intelli-M Access Essentials unlimited door license. They're ready to go – straight out of the box!	1,410.58
426 4S	Supercircuits, Inc.	TK-3	The professional weatherproof tool kit provides you with all of the tools you need for a fast, professional installation.	103.36
426 4S	Supercircuits, Inc.	VT-12	The VT-12 hub works in conjunction with the VT-14 to transmit crystal clear video over 2000 feet on a single CAT5 cable. This twisted pair transceiver is perfect for large applications and minimizing cables in any installation.	22.70
426 4S	Supercircuits, Inc.	VT-14	The VT-14 video balun allows you to send a video signal and power up to 150 feet on one single 4 pair CAT 5 cable. (depending on camera current draw) Without power, the video can be sent up to 1200ft. Two units per camera is required. Note: comes with one VT-14 video balun. Note: Unit has male power connector. Use a female- to-female adapter to supply power on the DVR side	5.44
426 4S	Supercircuits, Inc.	VT-16	The VT-16 video balun is perfect for camera installations with a pan-tilt unit for a single video run of 1900 feet over one twisted pair. The coiled cable allows for free movement of PTZ cameras.	13.63

426 4S	Supercircuits, Inc.	WCV-BHOL	Although today's covert audio/video recorders are small and easy to conceal, but when the job calls for wearing shorts and t-shirts the number of places you can stow gear gets few in number. The WCV-BHOL solves that problem by giving you generous amounts of storage space for recorders, transmitters, batteries and some firearms as well. Another huge benefit this concealment holster also provides is compression of covert gear closer to the body which reduces the risk of imprinting of the gear against clothing. This belly band is designed to fit waist sizes of 24-27 inches.	27.80
426 4S	Supercircuits, Inc.	WCV-BHOL2	Although today's covert audio/video recorders are small and easy to conceal, but when the job calls for wearing shorts and t-shirts the number of places you can stow gear gets few in number. The WCV-BHOL solves that problem by giving you generous amounts of storage space for recorders, transmitters, batteries and some firearms as well.	27.80
426 4S	Supercircuits, Inc.	WCV-BHOL3	Although today's covert audio/video recorders are small and easy to conceal, but when the job calls for wearing shorts and t-shirts the number of places you can stow gear gets few in number. The WCV-BHOL solves that problem by giving you generous amounts of storage space for recorders, transmitters, batteries and some firearms as well.	27.80
426 4S	Supercircuits, Inc.	WCV-BHOL4	Although today's covert audio/video recorders are small and easy to conceal, but when the job calls for wearing shorts and t-shirts the number of places you can stow gear gets few in number. The WCV-BHOL solves that problem by giving you generous amounts of storage space for recorders, transmitters, batteries and some firearms as well.	27.80
426 4S	Supercircuits, Inc.	WCV-BHOL6	Although today's covert audio/video recorders are small and easy to conceal, but when the job calls for wearing shorts and t-shirts the number of places you can stow gear gets few in number. The WCV-BHOL solves that problem by giving you generous amounts of storage space for recorders, transmitters, batteries and some firearms as well.	27.80
426 4S	Supercircuits, Inc.	WPHC1	The case features a Polymer O-ring waterproof seal that provides protection from water, dust, and air. The case is also chemical and corrosion-resistant. An automatic pressurization equalization valve equalizes pressure due to atmospheric changes.	103.19
426 4S	Supercircuits, Inc.	WPHC2	This IP67 (1 meter submersion for 30 minutes) watertight, crush-proof and dust-proof Pelican case is designed with comfortable rubber molded handle and stainless steel hardware. Includes padlock protectors and 2 level Pick-N-Pluck with convoluted lid foam.	213.19
426 4S	Supercircuits, Inc.	WPHC3	The case features a Polymer O-ring waterproof seal that provides protection from water, dust, and air. The case is also chemical and corrosion-resistant. An automatic pressurization equalization valve equalizes pressure due to atmospheric changes.	214.01
426 4S	Supercircuits, Inc.	WPHC4	This case features a high-impact, crushproof Polycarbonate shell with a solid wall design and foam core that is incredibly strong and lightweight. The large, comfortable fold-down handle provides easy portability. The case features a Polymer O-ring waterproof seal that provides protection from water, dust, and air. The case is also chemical and corrosion-resistant. An automatic pressurization equalization valve equalizes pressure due to atmospheric changes.	69.68

426 4S	Supercircuits, Inc.	AVSI-KIT	A collection of essential components for configuring your digital video recorder (DVR) for single switch on / off audio and video recording. It can be used with most security system DVRs that are configurable for sensor-triggered recording.	833.33
426 4S	Supercircuits, Inc.	ASK-4KIT-200	Single zone audio monitoring system designed to connect directly to a CCTV video monitor with built-in amplifier and speaker.	324.43
426 4S	Supercircuits, Inc.	ASK-4KIT-401	Single zone audio monitoring system that contains two Verifact A Microphones, combined to expand the area to be monitored.	591.40
426 4S	Supercircuits, Inc.	ASK-4KIT-501	Single zone audio monitoring system with 2-way talk/listen capabilities.	807.38
426 4S	Supercircuits, Inc.	ASK-4KIT-700	Four zone audio monitoring system designed for direct connection to a DVR, PC soundcard or IP Network Camera.	712.83